INVITATION TO BID NO: 09-R-2208733



FOR:

STATE OF ALABAMA

DEPTARTMENT OF FINANCE DIVISION OF PURCHASING

INVITATION TO BID

REQ. AGENCY : 005045

ALABAMA CORRECTIONAL INDUSTRIES: 981761

AGENCY REQ. NO.

T-NUMBER

DATE ISSUED

VENDOR NO.

VENDOR PHONE NO. SNAP REQ. NO. BUYER NAME : 1420895 : KATHY MOORE

ROUTER, ELECTRIC-CNC TABLE ROUTER SYSTEM BUYER PHONE NO. : (334) 242-7040-DRAPER FURNITURE PLANT - 981761 PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE: DATE: 08/11/09 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED: DATE: 08/12/09 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

	ECTION SHOULD BE PROVIDED, ED WITH ORIGINAL SIGNATURE	AS APPROPRIATE. BID RESPONSE AND NOTARIZATION.
1. DELIVERY: CAN BE MAI	DE DAYS OR	WEEKS AFTER RECEIPT OF ORDER
2. TERMS:	(DISCOUNTS ARE TAKEN W	WITHOUT REGARD TO DATE OF PAYMENT.)
3. PRICE VALID FOR ACCE	EPTANCE WITHIN	_ DAYS.
	FERENCE NUMBER, IF ANY: PPEAR ON THE PURCHASE ORDE	
5. E-MAIL ADDRESS:		
INTERNET WEBSITE: _		
6. GENERAL CONTRACTOR'S	S LICENSE NO:	
TYPE OF G.C. LICENSE	g:	
RETURN INVITATION T	TO BID:	
US MA	AIL	COURIER
STATE OF ALABAMA DEPARTMENT OF FINANCE DIVISION OF PURCHASING P O BOX 302620 MONTGOMERY, AL 36130-2620		STATE OF ALABAMA DIVISION OF PURCHASING RSA UNION BUILDING 100 N. UNION ST., SUITE 192 MONTGOMERY, AL 36104
BIDDERS MUST COMPLY ITEM 7 - COPY REQUIR		E: ***** USTRUCTIONS ON PAGE 2, TO INCLUDE
I HERBY AFFIRM I HAVE N	NOT BEEN IN ANY AGREEMENT	CON REQUIRED EACH ITEM OFFERED AT THE PRICE QUOTED. OR COLLUSION AMONG BIDDERS IN TO BID AT A FIXED PRICE OR TO
SWORN TO AND	FEIN OR SSN	AUTHORIZED SIGNATURE (INK)
SUBSCRIBED BEFORE ME TH	HIS COMPANY NAME	TYPE/PRINT AUTHORIZED NAME
DAY OF	MATE ADDRESS	man n
	MAIL ADDRESS	TITLE
NOTARY PUBLIC	CITY, STATE, ZIP	TOLL FREE NUMBER
TERM EXP:		
	PHONE INCLUDING AF	REA CODE FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

: 09-R-2208733

PAGE

2

INVITATION TO BID OPEN DATE : 08/12/09 TIME: 10:00 AM

RETURN DATE: 08/11/09 TIME: 5:00 PM

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF T HIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV.

INFORMATION AND ASSISTANCE TO MINORITY BUSINESSES IN THE TECHNICAL COMPLETION OF REQUIRED FORMS MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 04/07/09

- TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
- BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPERATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
- BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
- THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
- RETURN PAGE 1 MARKED "NO-BID" A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/ SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
- 6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
- THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE.
- AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURUIG REGULAR WORK HOURS, MONDAY FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX

RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED BID RECEIVED LATE

BID NOT SIGNED/NOT ORIGINAL SIGNATURE

BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION

NOTARIZED OWN SIGNATURE

REQUIRED INFORMATION NOT SUBMITTED WITH BID

FAÎLURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY WILL RESULT IN REJECTION OF THE BID RESPONSE

FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

TTB NO. : 09-R-2208733 OPEN DATE : 08/12/09 TIME: 10:00 AM INVITATION TO BID

RETURN DATE: 08/11/09 TIME: 5:00 PM

PAGE

3

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE
UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF
ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY
ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE
REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL TI OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

VENDOR NAME : SPECIAL TERMS & CONDITIONS

VENDOR NUMBER: ITB NO. : 09-R-2208733
OPEN DATE : 08/12/09 TIME: 10:00 AM INVITATION TO BID

RETURN DATE: 08/11/09 TIME: 5:00 PM

PAGE 4

VENDOR NAME :

VENDOR NUMBER:

VENDOR HORSER'S
TTB NO. : 09-R-2208733
OPEN DATE : 08/12/09 TIME: 10:00 AM PAGE 5 INVITATION TO BID

RETURN DATE: 08/11/09 TIME: 5:00 PM

LINE EXTENDED COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT NO. UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: 005045 / MFDR08 ALABAMA CORRECTIONAL INDUSTRIES DRAPER-FURNITURE PLANT HWY 143 P O BOX 1107 ELMORE 36025 00001 COMMODITY CODE: 545-63-067167
ROUTER, ELECTRIC - CNC TABLE ROUTER
SYSTEM. 3 AXIS. PROCESS CAPACITY:
5 FT. X 12 FT.; 10 HP MOTOR (MINIMUM)
AS PER ATTACHED SPECIFICATIONS EΑ F.O.B. ELMORE, ALABAMA 36025 AXYZ MODEL 4012 OR EQUIVALENT 00002 COMMODITY CODE: 936-48-089351 1 YR MAINTENANCE SERVICE AGREEMENT FOR CNC ROUTER SPECIFIED. SHALL START AT EXPIRATION OF FACTORY WARRANTY AND INCLUDE A MINIMUM OF ONE (1)ON-SITE VISIT PER YEAR TO PERFORM REQUIRED WAINTENANCE, PROVIDE & INSTALL SOFTWARE UPDATES, AND PROVIDE TECHNICAL TRAINING. TERM OF AGREEMENT: TWO (2) YEARS (MIN.) ROUTER LOCATION ELMORE, ALABAMA 36025 COST PER ANNUM. 00003 COMMODITY CODE: 936-48-089351 HR LABOR CHARGE FOR ON-SITE REPAIRS TO CNC ROUTER SPECIFIED FOLLOWING EXPIRATION OF FACTORY WARRANTY. COST MUST BE BE FIXED FOR MINIMUM OF TWO (2) YEARS. COST IS PER HOUR. 00004 COMMODITY CODE: 936-48-089351
TRAVEL CHARGE FOR ON-SITE REPAIRS TO CNC
ROUTER SPECIFIED. REPAIR SITE: ELMORE,
ALABAMA 36025. COST MUST BE FIXED FOR
MINIMUM OF TWO (2) YEARS.
COST PER ROUND TRIP. 1 EΑ

PAGE	TOTAL	
BID	TOTAL	

SPECIFICATIONS FOR CNC ROUTER SYSTEM

Dimensions

Process Length (min.): 144 inches Overall Working Length (max.): 170 inches

Process Width (min): 60 inches Overall Working Width (max.): 80 inches

Gantry Clearance (min.): **6.0 inches** Z Axis Stroke (min): **7.5 inches**

Table Height: 32 Inches

Machine Construction

Dual drive motorization on X axis combined with oversized linear ways and bearings

- Single drive on Y axis with oversized linear ways and bearings
- Ball screw drive (Z axis) with oversized linear ways and bearings (Construction must allow for either "Floating Head" Z axis control - for nose riding router head OR "Pinned Head" Z axis control to drive head into heavy or hard materials
- Heavy Spring engaged Rack and Pinion transmission assemblies for X and Y axis
- Single piece Welded tubular Steel base frame
- Extruded aluminum table top with integral T-slot clamping system
- Over travel proximity sensors on all three axis
- Powder Coated, heavy aluminum table components and gantry / carriage assemblies
- Integral Leveling pads to ensure machine stability
- Heavy-duty casters for ease of factory positioning

Control System

- AMC Smart controller (with full three Axis Control) and Hand-held Operator Control with 2 Megs of Flash Memory.
- Control capabilities for up to four independent tools
- Gantry pre-wired for future addition of pneumatic drill
- Factory operator mode for high production assembly line work

Tooling & Accessory Configuration

- Router/Spindle 1 ea 10HP (minimum) 6,000-24,000 RPM Variable Speed w/ ER32 Quick Release Spindle and Digital A/C Inverter
- Collets 3 ea ER32 (up to 3/4" shank diameter) with quick release adapter
- Dust/Chip Extraction 1 ea Adjustable Pressure Foot w/ 1 1/2" hose connection.
- Tool Tip and Work Surface Sensing 1 ea sensing device (S-Mouse or equivalent) for rapid and precise tool calibration
- Material Securement 1 ea. zoned vacuum hold-down system including 60" x 144" universal aluminum vacuum grid w/ manifold, valves and piping ready for vacuum pump attachment. Grid must also provide alternative T-slot clamping capability
- Vacuum Pump 1 ea 10 HP (min) dry vane vacuum pump, capable of vacuum hold-down pressures to 25 inHg (min.). Pump to include remote starter
- System must have capability to mount up two (2) tools per carriage (e.g. spindles, drills, etc.)
- System must have capability to mount dual carriages on a single gantry with full process area

System must include internal air system with regulated pressure control for pneumatic tools

Interface Software and Connections

- 1 ea ToolPath for Windows, Version 2.7 (or latest) visual interface software compatible with Windows operating systems up to and including Windows Vista. Included modules: Tool Compensation; 2D & 3D Engraving; Tabs; Slanting Planes; Radius Projection; Wrapping; Fiber Optics; and Job Timer. Capabilities to include import of AutoCad files, paneling of jobs up to 4 times the table length, mirroring, rotating, outlining, layering, 4 user presets of home position, automatic spindle control, drill hole peck plunging with router, automatic machine "soft stops".
- 1 ea Type3 CAD/CAM router software (latest version). 2D capabilities including high speed machining, instant raster to vector conversion, advanced nesting and material optimization.
- External RS-485 LRC Interface for communication via Serial port to distances up to 300 feet.

Accessories

- Toolbox for maintenance and operation
- Operator's manual and tutorials (2 sets each)
- Starter Kit of Carbide cutting tools (min. of 6) & and selection of collets

Power Requirements

Machine & Vacuum Pump: 208V - 230V, 3 Phase

Technical Support

Toll-free technical support including file troubleshooting via e-mail submittal

Training

Bid price to include:

- Unit delivery, installation, and 30 hours (minimum) on-site training
- Eight (8) hours of additional on-site technical training approx. 90 days after installation

Maintenance Agreement and Repair Charges

Separate pricing is requested for the following:

- Maintenance Service Agreement (optional) to start at expiration of factory warranty. Agreement shall include a minimum of one (1) on-site visit per year to perform necessary maintenance, and provide software updates and technical training. Term of agreement: 2 years min. (max of 5 years). Cost per annum. Machine location: Elmore, Alabama
- Labor Charge for on-site repairs to CNC router specified following expiration of factory warranty.
 Cost per hour. Cost must be fixed for minimum of two years.
- Travel Charges for on-site repairs to CNC router. Repair Site: Elmore, Alabama. Cost per round trip. Cost must be fixed for minimum of two years.

Warranty

One (1) year (minimum) from date of installation (parts/labor/travel included)

Pricing must be F.O.B Elmore Alabama 36028 AXYZ Model 4012 or equivalent